


# LT PR 36/IR940

PATTERN PROJECTOR,  
IR @ 940 NM



<b>Part Number</b>		<b>LTPR36/IR940</b>
<b>Light Color, wavelenght peak</b>		IR, 940 nm
<b>DEVICE POWER RATINGS</b>		
Minimum DC Voltage	<b>(volt)</b>	12
Maximum DC Voltage	<b>(volt)</b>	24
Power Consumption	<b>(watt)</b>	< 2
<b>LED DIRECT DRIVE RATINGS</b>		
Forward DC Voltage	<b>(volt)</b>	1,6
Forward Current	<b>(mA)</b>	500
Pulse Ratings @0,1 duty/1kHz	<b>(mA)</b>	n.a.



**MECHANICAL DRAWINGS: see next page >>**

Rev No.	Description	Date	Name
A	Nuovo pezzo	05/12/07	A.Vismara



Material	N.A.			Mass	163.8 g	Scale	2:1
Surface treatment	N.A.			Project-Prod.Item/Instrument		LTSPPR	
Geometrical tolerance (ISO 2768-2)			Class	K	Undimensioned bevels	1x45°	Description
Linear tolerance (ISO 2768-2)			Class	m			
0.5	>3-	>6-	>30+	>120	>400+	>1000	>2000
-3	6	30	120	+400	1000	+2000	+4000
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
www.opto-engineering.com			Date	Name	Drawing No.		Sheet
			Designed	17/03/03	A.Vismara	03532-0-A	1/1
			Draw	05/12/07	A.Vismara		
			Checked	X	C. Sedazzari		
OPTO ENGINEERING S.r.l. - 46100 Mantova Italy - Via Cremona, 29/2 - Tel. +39 0376 229585 - e-mai: info@opto-engineering.it - http://www.opto-engineering.com							

Description  
**LAYOUT WITH C-MOUNT**

Reproduction forbidden without specific authorization