

## BI-TELECENTRIC LENS FOR DETECTORS UP TO 1/2"



Part Number	TC 12 36	
<b>Magnification</b>		0,177 +/- 3%
<b>Field Of View</b>	<b>(mm x mm)</b>	
with 1/4" (3,6 x 2,7) detector		20,3 x 15,2
with 1/3" (4,8 x 3,6) detector		27,1 x 20,3
with 1/2" (6,4 x 4,8) detector		36,1 x 27,1
with 1/1.8" (7,13 x 5,37) detector		40,2 x 30,3
with 2/3" (8,8 x 6,6) detector		diam. = 37,3
<b>Working Distance</b>	<b>(mm)</b>	103,5 +/- 3
<b>Working F-number</b>		8
<b>Telecentricity</b>	<b>(degree)</b>	< 0,08
<b>Distortion</b>	<b>(%)</b>	< 0,10
<b>Field Depth</b>	<b>(mm)</b>	21,0
<b>CTF @70 lp/mm</b>	<b>(%)</b>	> 40
<b>Image side N.A.</b>		0,0620
<b>Object side N.A.</b>		0,0110
<b>Mount</b>		C
<b>Length</b>	<b>(mm)</b>	145,0
<b>External diameter</b>	<b>(mm)</b>	61,0
<b>Weight</b>	<b>(g)</b>	480

Possible vignetting at the image corners with 1/1.8" detectors

### ACCESSORIES AND OPTIONS:



**Collimated/Telecentric illumination:**  
compatible with LTCL36 illuminator;  
green light suggested.



**Coaxial illumination:**  
Compatible with LTCX36 illuminator.



**Back Light illumination:**  
Compatible with LTBK36 and LTBK48  
illuminator.



**Clamping Mechanics:**  
compatible with CMH036.





**Direct illumination:**  
compatible with LTRN36 diffusive  
anular illuminators.



**Filters:**  
filters can be inserted in the rear part  
of the lens, by means of TC Filter Kit.

Rev No.	Description	Date	Name
A	First light	01/05/03	A.Vismara
D	Redesign	15/02/06	A.Vismara



Material	N.A.			Mass	0.48 kg	Scale	1:1	
Surface treatment	N.A.			Project-Prod.Item/Instrument Telecentric lens 12 36				
Geometrical tolerance (ISO 2768-2)			Class	K	Undimensioned bevels	1x45°	Description Assembly	
Linear tolerance (ISO 2768-2)			Class	m				Undimensioned radii
0.5	>3-	>6-	>30-	>120	>400-	>1000	>2000	Drawing No. 01101-0-D
+3	6	30	120	+400	1000	+2000	+4000	
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	
			Date		Name		Sheet	
			Designed	15/02/06	A.Vismara	Reproduction forbidden without specific authorization		
			Draw	15/02/06	A.Vismara			
Checked	X	C. Sedazzari						
www.opto-engineering.com OPTO ENGINEERING S.r.l. - 46100 Mantova Italy - Via Cremona, 28 - Tel. +39 0376 229585 - e-mail: info@opto-engineering.com - http://www.opto-engineering.com								

