

# TC 23 120

## BI-TELECENTRIC LENS FOR DETECTORS UP TO 2/3"



<b>Part Number</b>		<b>TC 23 120</b>
<b>Magnification</b>		0,072 +/- 3%
<b>Field Of View</b>	<b>(mm x mm)</b>	
with 1/4" (3,6 x 2,7) detector		50,3 x 37,7
with 1/3" (4,8 x 3,6) detector		67,0 x 50,3
with 1/2" (6,4 x 4,8) detector		89,4 x 67,0
with 1/1.8" (7,13 x 5,37) detector		99,5 x 75,0
with 2/3" (8,8 x 6,6) detector		122,9 x 92,2
<b>Working Distance</b>	<b>(mm)</b>	336,5 +/- 10
<b>Working F-number</b>		8
<b>Telecentricity</b>	<b>(degree)</b>	< 0,08
<b>Distortion</b>	<b>(%)</b>	<0,1
<b>Field Depth</b>	<b>(mm)</b>	131,0
<b>CTF @70 lp/mm</b>	<b>(%)</b>	> 35
<b>Image side N.A.</b>		0,0620
<b>Object side N.A.</b>		0,0044
		C
<b>Length</b>	<b>(mm)</b>	422,4
<b>External diameter</b>	<b>(mm)</b>	180,0
<b>Weight</b>	<b>(g)</b>	5300

### ACCESSORIES AND OPTIONS:



**Collimated/Telecentric illumination:**  
compatible with LTCL120 illuminator;  
green light suggested.



**Coaxial illumination:**  
not available.



**Back Light illumination:**  
compatible with LTBK192 illuminator.



**Clamping Mechanics:**  
use the built-in holed flange to mount  
the lens.






**Direct illumination:**  
not available.



**Filters:**  
filters can be inserted in the rear part  
of the lens, by means of TC Filter Kit.

Rev No.	Description	Date	Name
A	First light	14/04/06	A.Vismara



Material	N.A.	Mass	5.3 kg	Scale	1:2		
Surface treatment	N.A.	Project-Prod.Item/Instrument	Telecentric lens 23 120				
Geometrical tolerances (ISO 2768-2)		Class	K	Undimensioned Bevels	1x45°		
Linear tolerance (ISO 2768-2)		Class	m	Undimensioned radii	R 0.5		
0.5	>3-	>6-	>30-	>120	>400-	>1000	>2000
-3	6	30	120	400	1000	2000	undimensioned
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
Date		Name		Drawing No.		Sheet	
Designed 14/04/06		A.Vismara		Drawing No.		Sheet	
Draw 14/04/06		A.Vismara		02501-0-A		1/1	
Checked x		C.Sedazzari		Reproduction forbidden without specific authorization			
OPTO ENGINEERING S.r.l. - 46100 Mantova Italy - Via Cremona, 28 - Tel/Fax +39 0376 229585 - e-mail info@opto-engineering.com - http://www.opto-engineering.com							