

# CMMR4K090-L

45° adjustable first surface mirror, clamping size 114x38.5 mm, right angle lateral bend

## SPECIFICATIONS

Part number 1 CMMR4K090-L

Optical specifications		
Coating 2		Aluminum reflective coating
Deviation angle	(deg)	90

Mechanical specifications		
Clamping system		mounting screws
Length	(mm)	214.0
Width	(mm)	150.3
Height	(mm)	72.0
Mass	(g)	618



Compatible products	
Telecentric lenses	TC4K090-x
Telecentric illuminators	LTCL4K090-x



## NOTES

- V stands for Vertical bend, -L stands for Lateral bend. See drawings for details about deviation axis orientation.
- Normal reflectance > 98% - bandwidth: 430-670 nm.

## COMPATIBLE PRODUCTS

	TC4K series Flat telecentric lenses for 4k linescan cameras
TC4K090-F	Telecentric lens for 4k linescan cameras, magnification 0.319x, F-mount
TC4K090-N	Telecentric lens for 4k linescan cameras, magnification 0.319x, mount M42X1 FD=10.56
	LTCL4K series Flat telecentric illuminators for 4k linescan cameras
LTCL4K090-G	Telecentric illuminator for linescan cameras, line width 90 mm, green
LTCL4K090-W	Telecentric illuminator for linescan cameras, line width 90 mm, white